

HYGIENE AND PROPHYLAXIS

GELGUM

MOUThWASH, GEL, SPRAY

Product features

Mouthwash

Gelgum mouthwash is especially useful to treat wide areas of oral mucosa or specific areas that are difficult to treat with gel, with the same antibacterial, analgesic and anti-inflammatory properties of the gel.

Recommended use after oral hygiene.

Gel

Easy to use, Gelgum Gel has mucoadhesive properties to protect oral lesions with antibacterial (Chlorhexidine), analgesic (Myrrh extract) and anti-inflammatory (18 β -glycyrrhetic acid) properties.

Spray

Gelgum spray is especially useful to treat single and wide lesions. Practical to use outside home, Gelgum spray has the same mucoadhesive, antibacterial, analgesic, anti-inflammatory properties of the gel and mouthwash.

Indications

Gel, mouthwash, spray

Gelgum is indicated in the treatment of:

- aftae and stomatitis of oral mucosa, gingivitis and paradontitis
- ulcers (viral, traumatic, form orthodontic device, prothesis, after biting), from thermal or chemical irritations
- after oral surgery

Instructions for use

Mouthwash

Mucositis and gingivitis: rinse the mouth with 10 ml of the product for about 1 minute, twice daily for 1-2

weeks following dentist instructions. Do not eat or drink for 30 minutes.

Gel

Aftae, ulcers; apply the gel directly to the sore areas with a cotton bud or using your fingertip. Massage the product for few seconds. Don't eat or drink for 30 minutes. Continue to use for 2 days after healing has taken place. Denture sore mouth; smear gel lightly over the fitting surface of the dentures before insertion. Do not eat or drink for 30 minutes.

Dental surgery: use as directed by your dentist

Spray

Aftae, ulcers: spray the solution directly to the sore areas. Do not eat or drink for 30 minutes. Continue to use for 2 days after complete healing.

Spray over fitting surface of the denture before insertion. Do not eat or drink for 30 minutes.

Denture sore mouth

Dental surgery: use as directed by your dentist.

Composition

(active principles)

0,2% Chlorhexidine gluconate
fluid myrrh extract, ethyl cellulose

Packaging

Mouthwash: bottle 200 ml,
bottle 1L in box with 6 pcs.
and 2 dispensers

Gel: tubes 15gr

Spray: Bottle 30 ml.

PATENT PENDING

MEDICAL DEVICE I

CE

